VERSION 2.0

AUGUST – OCTOBER

GREAT OFFERS AND BIG SAVINGS

TOOLHITS

Measuring tools, workshop tools and misc. equipment for the industrial market



MAGNETIC STAND INCL. DIAL INDICATOR

Fine-adjustment, prismatic base, on/off function and clamping for lugback or Ø8 mm hole.

DIAL GUAGE

Measuring range: 0-10 mm Resolution: 0,01 mm Scale: 0-100 Diameter: Ø58 mm Shank: Ø8 mm H6



92271845





Measuring range: 0,05 mm. Jaw length: 40 mm. Accuracy: ±0,04 mm.



IP54 DIGITAL CALIPER

DIN862, 40 mm jaws and ABS-function.

Item no.	Measuring	Resolution	Price NOK
10218450	0-150 mm	0,01 mm	625,-
10218465	0-200 mm	0,01 mm	975,-
10218480	0-300 mm	0,01 mm	1.289,-

WRKPRO

Professional worklight by Diesella

WRKPRO F5X/F6X

Compact and portable working lamps with respectively F5X; 10W/ 1100 Lumen and F6X; 30W/ 3500 Lumen. *Charger included.*









WRKPRO SLIM X7 WORK LIGHT

Compact and very flexible work lamp. Min./ max Lumen: 50/300. Charger included.













All clamps are hardened, stepped blocks are made of sintered steel. All parts are black oxidized. PCV/ steel box included.

Item no.	Thread	Not	Price NOK
50332120	M10	12 mm	780,-
50332135	M12	14 mm	999,-
50332150	M12	16 mm	999,-
50332165	M14	16 mm	1.189,-
50332180	M14	18 mm	1.296,-



MULTI-POWER FIXED ANGLE VICE

Extremely high accuracy and repeateability. Adjustable clamping force of 0-8000 kg. Standard accessories: 2 pcs. of alignment wedge, 4 pcs. of clamp and 1 pc. wrench.





3D TASTER

Ø12 mm shank incl. Ø3x27 mm probe. Resolution: 0,01 mm. IP class: IP67.

50329525 White dial disc 50329528 Black dial disc

FREE CHOICE



ULTRASONIC THICKNESS GAUGE

Used for measuring thickness and corrosion of pressure vessels, chemical equipment, boilers, oil storage tanks and more.



ZERO SETTER

Magnetic base Ø50 mm, red LED lights up when plunger reaches zero point: 0.005 mm accuracy. Contactface Ø14×2 mm.









IP65 BRAVO MACHINE LIGHT 4.5W

50530055 AC/DC 24V 50530070 230V AC

Lamp head with 3 pcs. LED bulbs mounted on a 530 mm flexible arm. Hole pitch: 47×47 mm. On/off button on the head. 320 lumen. CE certified.

Magnetic clamp item no. 50530495 can be purchased separately.



WRKPRO

IP65 LIMA WITH EXTRA LONG ARM

50530255 AC/DC 24V 50530265 AC100V-240V

Lamp with 400+400 mm arm and 8 pcs. LED bulbs. Hole pitch: 45×45 mm. On/off button on head. 830 lumen. CE certified.

Magnetic clamp item no. 50530490 can be purchased separately.

> FREE CHOICE 2.150 NOK



TORPEDO LEVEL 25 CM



DIGIMAN™ LEVEL WITH LASER 60 CM



KEY-BAK KEY REEL

KEY-BAK 5B with chain cord.





COUNTING SCALE

295×226 mm stainless steel platform and LED display. Power adapter and rechargeable battery included.

Item no.	Capacity	Division	Min. weight
18561210	3 kg	0.1 g	2 g
18561220	6 kg	0.2g	4 g
18561230	15 kg	0.5 g	10 g
18561240	30 kg	1 g	20 g



REFRACTOMETER





NOGA MAGNETIC STANDS

Fine adjustment magnetic stands. Unique central locking mechanism. Powerful on/off magnetic base.

Item no.	NOGA type	Holding force	Price NOK
10391210	NF61003	320N/ 32,6 kg	1.248,-
10391320	DG61003	800N/81,5 kg	1.490,-
10391430	MG61003	800N/81,5 kg	1.796,-

NOGA DEBURRER PROMO SET

10 pcs. S10 blade types and 1 NOGA NG1.





SQUARES WITH BACK

Accuracy: Grade 1.



Item no.	Height	Length	Price NOK
10415075	75 mm	50 mm	196,-
10415100	100 mm	70 mm	249,-
10415150	150 mm	100 mm	315,-
10415200	200 mm	130 mm	398,-
10415250	250 mm	165 mm	456,-
10415300	300 mm	175 mm	484,-
10415400	400 mm	200 mm	899,-
10415420	400 mm	265 mm	1090,-





Item no.	Measuring range	Resolution	Price NOK
10330610	0 - 5 mm	0,01 mm	249,-
10331510	0 - 10 mm	0,01 mm	239,-
10335430	0 - 30 mm	0,01 mm	459,-



DIAL TEST INDICATOR

Measuring range: 0-0,8 mm Resolution: 0,01 mm Probe length: 16 mm



Diesella A/S Marsvej 20 | DK-6000 Kolding info@diesella.dk | diesella.com

SEE FULL COLLECTION
IN THE CATALOGUE
www.diesella.com

DISTRIBUTOR: